2017



AP Biology Sample Student Responses and Scoring Commentary

Inside:

- **☑** Free Response Question 4
- ☑ Scoring Guideline
- **☑** Student Samples
- **☑** Scoring Commentary

© 2017 The College Board. College Board, Advanced Placement Program, AP, AP Central, and the acorn logo are registered trademarks of the College Board. Visit the College Board on the Web: www.collegeboard.org. AP Central is the official online home for the AP Program: apcentral.collegeboard.org

AP[®] BIOLOGY 2017 SCORING GUIDELINES

Question 4

Organism	Food Source (% of diet)						
	Algae	Stoneflies	Midges	Hellgrammites	Caddisflies		
Algae							
Stoneflies			90		10		
Midges	100						
Hellgrammites		20	10		70		
Caddisflies	70		30				

DIETARY COMPOSITION OF ORGANISMS IN AN AQUATIC ECOSYSTEM

The table above shows how much each organism in an aquatic ecosystem relies on various food sources. The rows represent the organisms in the ecosystem, and the columns represent the food source. The percentages indicate the proportional dietary composition of each organism. High percentages indicate strong dependence of an organism on a food source.

(a) Based on the food sources indicated in the data table, **construct** a food web in the template below. Write the organism names on the appropriate lines AND draw the arrows necessary to indicate the energy flow between organisms in the ecosystem. (**2 points**)

Construction of food web (2 points maximum)

- All four organisms placed on the appropriate lines
- All four arrows correctly drawn between organisms



AP[®] BIOLOGY 2017 SCORING GUIDELINES

Question 4 (continued)

(b) In an effort to control the number of midges, an area within the ecosystem was sprayed with the fungus *Metarhizium anisopliae*, which significantly decreased the midge population. Based on the data in the table, **predict** whether the spraying of the fungus will have the greatest short-term impact on the population of the stoneflies, the caddisflies, or the hellgrammites. **Justify** your prediction. (2 points)

Prediction (1 point)

• Stoneflies

Justification (1 point)

- Stoneflies have a higher dependence on the midges than do the hellgrammites and caddisflies.
- Midges are 90 percent of the stonefly diet, while 30 percent of the caddisfly and 10 percent of the hellgrammite diet are midges.

		Food Source (% of diet)				
	Organism	Algae	Stoneflies	Midges	Hellgrammites	Caddisflies
κ	Algae					•
	Stoneflies			90		10
X	Midges	100			· ·	
	Hellgrammites		20	10		70
x	Caddisflies	70		30		

DIETARY COMPOSITION OF ORGANISMS IN AN AQUATIC ECOSYSTEM

4. The table above shows how much each organism in an aquatic ecosystem relies on various food sources. The rows represent the organisms in the ecosystem, and the columns represent the food source. The percentages indicate the proportional dietary composition of each organism. High percentages indicate strong dependence of an organism on a food source.

- (a) Based on the food sources indicated in the data table, **construct** a food web in the template below. Write the organism names on the appropriate lines AND draw the arrows necessary to indicate the energy flow between organisms in the ecosystem.
- (b) In an effort to control the number of midges, an area within the ecosystem was sprayed with the fungus *Metarhizium anisopliae*, which significantly decreased the midge population. Based on the data in the table, **predict** whether the spraying of the fungus will have the greatest short-term impact on the population of the stoneflies, the caddisflies, or the hellgrammites. **Justify** your prediction.

PAGE FOR ANSWERING QUESTION 4



Unauthorized copying or reuse of any part of this page is illegal.

GO ON TO THE NEXT PAGE.

4Az

ADDITIONAL PAGE FOR ANSWERING QUESTION 4						
6)) The spraying of the fungues would have the greatest short-term impact					
	on the stoneflies. This is because 90% of the stoneflies' det uses the					
	midges as the food source. So, the stampfules are more dependent on					
	midges than either the coddisfles (30%) or the hellgrammites (10%).					
	V					
	<u>.</u>					
<u></u>						
	· · · · · ·					

GO ON TO THE NEXT PAGE.

-21-

.

Organism	Food Source (% of diet)					
	Algae	Stoneflies	Midges	Hellgrammites	Caddisflies	
Algae						
Stoneflies			90		10	
Midges	100					
Hellgrammites		20	10		70	
Caddisflies	70		30			

DIETARY COMPOSITION OF ORGANISMS IN AN AQUATIC ECOSYSTEM

- 4. The table above shows how much each organism in an aquatic ecosystem relies on various food sources. The rows represent the organisms in the ecosystem, and the columns represent the food source. The percentages indicate the proportional dietary composition of each organism. High percentages indicate strong dependence of an organism on a food source.
 - (a) Based on the food sources indicated in the data table, **construct** a food web in the template below. Write the organism names on the appropriate lines AND draw the arrows necessary to indicate the energy flow between organisms in the ecosystem.
 - (b) In an effort to control the number of midges, an area within the ecosystem was sprayed with the fungus *Metarhizium anisopliae*; which significantly decreased the midge population. Based on the data in the table, **predict** whether the spraying of the fungus will have the greatest short-term impact on the population of the stoneflies, the caddisflies, or the hellgrammites. **Justify** your prediction.

PAGE FOR ANSWERING QUESTION 4



Unauthorized copying or reuse of any part of this page is illegal.

GO ON TO THE NEXT PAGE.

ADDITIONAL PAGE FOR ANSWERING QUESTION 4 bi) Spraying the tingus will have greatest short-term implicit on Stoneflies because midges is 90° of their diel. 3 .

GO ON TO THE NEXT PAGE.

-21-

4 B₂

Organism	Food Source (% of diet)					
	Algae	Stoneflies	Midges	Hellgrammites	Caddisflies	
Algae						
Stoneflies			90		10	
-Midges	100					
Hellgrammites		20	10		70	
Caddisflies	70		30		•	

DIETARY COMPOSITION OF ORGANISMS IN AN AQUATIC ECOSYSTEM

- 4. The table above shows how much each organism in an aquatic ecosystem relies on various food sources. The rows represent the organisms in the ecosystem, and the columns represent the food source. The percentages indicate the proportional dietary composition of each organism. High percentages indicate strong dependence of an organism on a food source.
 - (a) Based on the food sources indicated in the data table, **construct** a food web in the template below. Write the organism names on the appropriate lines AND draw the arrows necessary to indicate the energy flow between organisms in the ecosystem.
 - (b) In an effort to control the number of midges, an area within the ecosystem was sprayed with the fungus *Metarhizium anisopliae*, which significantly decreased the midge population. Based on the data in the table, **predict** whether the spraying of the fungus will have the greatest short-term impact on the population of the stoneflies, the caddisflies, or the hellgrammites. **Justify** your prediction.

PAGE FOR ANSWERING QUESTION 4



Unauthorized copying or reuse of any part of this page is illegal.

GO ON TO THE NEXT PAGE.

-20-

ЧČZ ADDITIONAL PAGE FOR ANSWERING QUESTION 4 ill have the greatest e stoneflies because stoneflies diet reason is the stone mac ″\₀ 76 the mid ; GO ON TO THE NEXT PAGE.

-21-

AP[®] BIOLOGY 2017 SCORING COMMENTARY

Question 4

Overview

This question focused on a quantitative food web involving an aquatic ecosystem. Students were presented with a data table quantifying the interactions between species by showing the percentage each species relied on others in the ecosystem as a food source. Students were asked to use this information to construct a food web by writing in the names of the organisms in the appropriate trophic levels on the template provided. Students were also asked to draw arrows to indicate the direction of energy flow between the organisms in the ecosystems. Then, students were told that an area within ecosystem was sprayed with a fungus that eliminated one of the species. Students were then asked to predict which population of organisms would experience the greatest short-term impact due to the elimination of this species and to justify their prediction.

Sample: 4A Score: 4

The response earned 1 point in part (a) for constructing a food web with each of the four organisms in the appropriate trophic level. The response earned 1 point in part (a) for drawing four arrows correctly indicating energy flow between the organisms. The response earned 1 point in part (b) for predicting that the spraying of the fungus will have the greatest short-term impact on the stoneflies. The response earned 1 point in part (b) for justifying its prediction by stating that the stoneflies are more dependent on midges than are either the caddisflies (30 percent) or the hellgrammites (10 percent).

Sample: 4B Score: 3

The response earned 1 point in part (a) for constructing a food web with each of the four organisms in the appropriate trophic level. The response earned 1 point in part (a) for drawing four arrows correctly indicating energy flow between the organisms. The response earned 1 point in part (b) for predicting that spraying the fungus will have the greatest short-term impact on stoneflies.

Sample: 4C Score: 2

The response earned 1 point in part (a) for constructing a food web with each of the four organisms in the appropriate trophic level. The response earned 1 point in part (b) for predicting that spraying will have the greatest impact on the stoneflies.